

PROCESSES

At least they're not ISO-9001 processes

STRUCTURE

- In Linux, a Process wraps up everything that is needed to know about a running piece of software
- The meta information not only includes the machine code for the software, but also things like what user/group pair is running the process, when it was started, what the command line was, etc.
- In fact, here's a short list of the pertinent parts of a process:

STRUCTURE

- PID
- PPID
- UID/GID
- Command
- Start Time
- CPU Time
- CWD
- State
- TTY
- Environment
- Priority
- Nice Level

PID

- Process ID
- Linux uses this number to uniquely identify every process on the computer
- Number from 1-32768 (default - can change the maximum)
- Assigns new PIDs incrementally by 1, 2 or 4
- Loops back to 1 after hitting the maximum

PPID

- Parent Process ID
- PID of the process that started this one

UID/GID

- The User and Group running the process
- Very important! Defines access and permissions to file system and operating system.
- Inherited from Parent process unless:
 - SetUID/SetGID bits on executable
- Completes the Circle of Security

COMMAND

- The command (and arguments) for the process
- Identifies the executable running, as well as the arguments passed at invocation

START & CPU TIME

- Start Time tracks when the process was started
- CPU Time tracks time the process actually spends **running on** the CPU

CWD

- Current Working Directory
- 'nuf said
- Inherited from parent process

STATE

- State of the process:
 - Runnable
 - Stopped
 - Blocked - Interruptible
 - Blocked - Non-interruptible
 - Zombie

TTY

- Connected terminal
- Mostly informational
- Inherited from parent process

ENVIRONMENT

- Every process has it's own Environment
- Inherited from parent process

PRIORITY

- The priority is a read-only value showing the current priority assigned by the scheduler
- Ranges from 0-99, with higher values representing higher priorities
- The scheduler constantly adjusts priorities to balance efficiency, performance and responsiveness

NICE LEVEL

- The nice level represents one influence on the calculations the kernel uses when assigning priorities
- Originally designed and named to allow users to be “nice” to other users of the system by assigning a higher nice value to an intensive process, which in turn lowers its priority
- Ranges from -20 to 19. Default nice level is 0
- Only root can assign negative nice values
- See `nice` and `renice` commands

LISTING PROCESSES

- `ps`: List of current processes
- `pstree`: Generate hierarchical view of processes
- Examples:
 - `ps` *View all processes started by logged in user*
 - `ps aux` *View details of all processes on system*
 - `pstree` *View tree of all processes on system*

PROCESS STATES

- There are 5 basic process states:
 - Runnable
 - Stopped
 - Blocked/Sleeping - interruptible
 - Blocked/Sleeping - non-interruptible
 - Zombie/Defunct

RUNNABLE

- This means the process is running, or is set to run
- Remember: Linux is a multi-tasking operating system, so it's hard to see exactly when processes are running (switched so quickly), so the state is **runnable**, indicating that the scheduler will provide CPU time when it's available

STOPPED

- Opposite of Runnable - the process will not get CPU time
- Nothing happens to the process - it's still in memory, poised, ready to go. But when it's put in the stopped state, the scheduler will not put it on the CPU
- Files/network connections remain open, but network connections may drop after a time (timeout)

INTERRUPTIBLE SLEEP

- The process is waiting for some event - perhaps an alarm from a sleep system call, perhaps a signal or other external event
- Interruptible means that other processes/events can break the sleep

NON-INTERRUPTIBLE SLEEP

- This sleep state is generally caused by IO operations - accessing a drive, communicating with the network, etc.
- Non-interruptible means that other processes/events can not break this sleep.
- This process is unable to respond to signals.

ZOMBIE/DEFUNCT

- Braaaaaaiiiiiinnnnnnssss.. Wait, no, not that kind of zombie.
- An exited process whose parent did not `wait ()` on the child
- Does not consume resources beyond a PID and meta information storage ($< 1k$ generally)
- Generally caused by two situations:
 - Bug in software
 - Overly taxed machine

SIGNALS

- First form of Interprocess Communication (IPC)
- A signal is a message sent to a process to indicate events or other conditions. The signal itself is the message - there around three dozen defined signals...

COMMON SIGNALS

- HUP - *Hangup*
- INT - *Interrupt*
- QUIT - *Quit*
- ILL - *Illegal Instruction*
- ABRT - *Abort*
- KILL - *Kill*
- SEGV - *Segmentation Fault*
- ALRM - *Alarm*
- TERM - *Terminate*
- STOP - *Stop*
- CONT - *Continue*
- FPE - *Floating Point Exception*

SENDING SIGNALS

- `kill`: Send a signal to a process. Default signal: TERM
- Examples:
 - `kill 457`
 - `kill -9 2359`
 - `kill -CONT 1350`